CONTACT US:

Xiamen New KaiHang Machinery Co., Ltd.
新锴航（厦门）机械制造有限公司
Tel: +86 592-6260078
Fax: +86 592-6260075
Email:info@nkhmachinery.com
Website:http://www.nkhmachinery.com
http://www.roofpanel-rollformingmachine.com
Address: No.503-3, Hangtian Road, Guankou, Jimei, Xiamen, China
地址：厦门市集美区航天路503号之三

GG NKH
Roll Forming MC

Xiamen New KaiHang Machinery Co., Ltd.
新锴航（厦门）机械制造有限公司
Xiamen Grand Golden Trading Co., Ltd.
厦门宏达金拓商贸有限公司

新锴航机械 NKH Roll Forming MC







Xiamen New KaiHang Machinery Co., Ltd.

Company Profile

NKH machinery is an experienced manufacturer of a wide range of roll forming machines, such as panel/roofing tile/purlin/ridge cap/pipe /metal deck lines/cut to length & recoiling lines/crimp/curve machines /folding machines, etc.

Over 20 years of experience has allowed us to become aware of and to incorporate the best practices from around the world.

Whether working in parts or assembly, service or sales, each member of the NKH machinery team participates in the development process of each machine we create. We will meet your high standards by taking full advantage of the experience, creativity, and wisdom each member of our team has to offer. Our overall goal is to ensure the best possible outcome for you, assisting you in generating profits that are well-worth your investment with a NKH Machine.

新锴航(厦门)机械制造有限公司是生产各种型号压瓦机设备的专业厂家，主要的产品有：彩钢单板压瓦机，双层压瓦机，三层压瓦机，琉璃瓦成型机，角驰压瓦机，复合板机，楼承板成型机，屋脊瓦、水槽、装饰扣板成型机，折弯机，剪板机，分条机等各种冷弯成型设备。

我们有着多年设计、研发和生产压瓦机设备的行业经验，并且拥有一支在设计、研发、生产、营销、售后服务等领域高素质、专业化的团队。专业的技能人才，雄厚的技术力量，强大的自主研发能力和先进的生产设备，完善的售后服务体系，使我们的产品得到了广大客户的一致好评。

ROOFING PANEL LINE 屋面板系列

A metal sheet roll forming machine is designed to produce roof sheets with different models, like IBR roofing sheets trapezoidal roof panels, etc.

新锴航机械能根据客户不同的板厚、材质、料宽、速度等要求定制各类宽幅版的金属冷轧辊压设备，如屋面板等。

Normal roofing machine
常规屋面板成型机



Classic profile
经典板型图



Auto tapered shearing forming machine
自动斜切成型机





CORRUGATED PANEL LINE 波浪板辊压设备

Corrugated sheet roll forming machine is a common metal roll forming equipment that produces corrugated metal roofing and siding panels.The most common materials are pre-painted steel, galvanized steel, Alu-zinc steel, and CR steel of 0.4-0.8mm thickness and 914-1250mm width. Or min. thickness 0.2mm/G550 with 1500mm input for special requirement.

波浪板辊压设备是比较流行和常见的金属产品，一般使用彩板，镀锌板，镀铝锌板等；板厚0.4-0.8mm,料宽914-1250mm.
新锴航机械也能个性化定制最小板厚0.2mm/G550高强板和料宽最大1500mm的波浪板设备。





CLADDING/WALL PANEL LINE 墙面板系列

A roof/wall/cladding dual-use sheet roll forming machine can adapt to the requirements of different projects on the construction site; A facade panel roll forming machine produces metal sheets usually work as the wall panels only, not for roofing.

屋面/墙面两用板成型机能适应工地屋面/墙面等不同工程的使用要求；金属外墙板成型机仅用于墙板，不用于屋顶。

Normal wall machine
常规墙面板成型机

Classic profile
流行板型图





Metal facade panel forming machine
金属外墙板成型机



HIGH SPEED ROLL FORMING LINE 高速辊压设备

Nowadays, the high labor/material cost let people consider high efficient production, so the higher forming speed machine is more and more popular in market such as 40m/min, 60m/min, and by equipped the non-stop shearing and automatic stacker to realize the automation of the whole line.

为了提高生产产能和尽可能节省人工成本，高速运行的辊压设备在市面上越来越流行。高速辊压设备的成型速度为60米/分钟左右，并通过配置不停机剪切和自动垛料机，来实现整线的自动化。

High speed roll forming machine with stacker
高速冷轧辊压成型设备带垛料机

Roll forming machine with non-stop cut design
冷轧辊压成型设备-不停机剪切设计



METAL DECK PANEL LINE 楼承板辊压设备

Steel deck roll forming machines have been designed for the production of various types of metal decks which are usually applied for roofing and floor industries, and sometimes for bridge construction as well. The most popular steel decks produced by our metal deck roll forming machine are currently used in the industrial applications as following: steel roof deck /composite metal deck/metal form deck /architectural deck/bridge deck.

新锴航机械能根据客户要求定制各类楼承板设备，根据用途不同，楼承板有44mm、51mm、75mm、130mm、200mm等不的高度/形状，板厚范围0.6-1.5mm，镀锌板材。

ROOF TILE LINE 琉璃瓦辊压设备

Metal step roof tiles produced by glazed tile roll forming machine from high quality pre-painted sheets most time apply as roofing on villas or some residential buildings. NKH can design customized metal sheet roll forming machine for the production of specific required & as per technical drawings of the profiles customer provides. The machine with flying pressing & flying cutting by servo motor can improve the production highly.

琉璃瓦品种多样，比较流行的有760、828、1000、1100（有效宽度）等，板材彩板，板厚范围0.4-0.8mm，料宽914-1250mm,新锴航机械也能根据客户要求定制0.2mm/G550的特殊琉璃瓦;以及不停机冲压、不停机剪切的高速琉璃瓦。









SEAM-LOK PANEL LINE 隐藏式屋面板、墙面板辊压设备

Seam lock metal roofing is a fully interlocking roof system. Its unique mechanical-lock design forms a weather-tight unit, and unlike some other types of panel metal roofs, no rivets or screws are exposed on the surface of the panels. It may be installed on new construction or applied over existing roofs. All trims and caps are designed to ensure an integrated weather-proof roof.

隐藏式屋面板相比较常规屋面板，产品尺寸更小，工艺更先进。它是一套完全互锁的屋面防水系统，表面没有铆钉但内含扣件。同直立缝设备一样，它能设计并固定在集装箱中，方便装运，可以直接在工地生产。









KLIP-LOK PROFILE LINE 隐藏式扣板辊压设备

A klip-lok roll forming machine produces fastener-hidden or concealed fixing roof panels which enjoy highly popularity in markets. Usually, the material thickness varies from 0.4-0.8mm.The material width for a standing seam panel covers from 400mm-1000mm, while a regular roof panel roll forming machine handle with the material of width at least 914mm.

有紧固件隐藏其中的隐藏式屋面板设备都很受市场欢迎，如KLIP-LOK板型等，常规板厚范围0.4-0.8mm，材料宽度在400-1000mm之间，通常为914mm。

Klip-lok 710 roll former

Klip-lok 710 冷轧辊压成型设备



Snap Lok roll former

Snap Lok 冷轧辊压成型设备



STANDING SEAM PANEL LINE 直立缝辊压设备

Standing seam roof is an economical, snap-together roofing system for commercial and residential applications. 610 joint-hidden standing seam roof panels made of aluminum is most widely used and popular. There are straight standing seam sheets and tapered standing seam sheets in the market.

610型直立缝辊压设备目前在市场上最受欢迎，一般压铝镁锰板、镀锌板、彩板等，板材强度G350-G550。新锴航能根据客户需求定制多规格型号直板设备、自动分条&扇形设备；直板/大小头二合一设备（手动&自动换型2种）。

Straight&Manual tapered standing seam roll former
直板&手动扇形直立缝冷轧辊压成型设备



Auto pre-shearing and tapered slitting machine & twin rows tapered roll former
自动剪切/斜分条&扇形辊压成型设备

DOWNSPOUT & ELBOW LINE 落水管辊压设备

A downspout roll forming machine has been designed for making rectangular or round rainwater pipes.The round downpipes are straight from the roof top to the ground,and the rectangular downpipes usually have an elbow downpipe as a turn at the down end of the straight pipe. The roll former & elbow can be designed on one machine.

落水管目前有方管和圆管2种形状，但尺寸各不相同。新锴航机械能根据客户不同要求定制相应辊压设备。
一般落水管还配打弯机，可设计成和主机一体，也可以做成分体的，目前市面上一体机落水管设备比较流行。

Downspout roll former
落水管辊压成型设备



Downspout elbow machine
落水管打弯机

TOP RIDGING LINE 屋脊瓦辊压设备

Ridge cap machine processes coiled materials into standard ridge cap panel with/without top step, with V shape, which cover roof ridge joints to realize bidirectional drainage and waterproofing.

目前市面上有3款使用比较广泛的屋脊瓦设备：顶部压筋、顶部不压筋、V形屋脊瓦。覆盖屋面屋脊衔接，实现双向排水和防水。

Ridge cap panel roll former without top step
屋脊瓦冷轧辊压成型设备



Ridge cap panel roll former with top step
屋脊瓦冷轧辊压成型设备（顶部带压筋）



Ridge cap panel roll former with pre-notch
屋脊瓦冷轧辊压成型设备（带前冲缺口）



GUTTER/FASCIA LINE 水槽/扣板辊压设备

The ridge cap, gutter, fascia, downpipe, ceiling panel go hand in hand with a roof, which made from pre-painted steel comes in a wide range of styles, sizes and profiles.

水槽板根据不同形状的产品：K系列和带圆弧的可定制不同的水槽板设备；水槽、扣板和彩钢瓦、屋脊瓦等设备配套使用，产品构成完整的屋面排水体系。

Gutter panel roll former
水槽冷轧辊压成型设备



Fascia panel roll former
扣板冷轧辊压成型设备



MULTI-TRUSS/BATTEN PANEL LINE 龙骨辊压设备

NKH produces custom light gauge steel framing machines including ceiling batten, roof batten, top span batten and top hat to create solid steel battens with various sizes; one machine can have double batten or auto exchange sizes with flying cut design to save space & production time.

新锴航能根据客户个性化要求定制不同型号的的轻钢龙骨和C型设备。2个板厚/形状相似的板型可设计成双侧辊压机或者自动换型的主机并配以高速运行的追剪，既能节省空间、人工，也能大幅提高产能。

30mpm speed roll former with stacker
30mpm 冷轧辊压成型设备





60mpm auto exchange light gauge roll former with flying cut & gear box driving
60mpm高速&自动换型冷轧辊压成型设备

FLASHING PRODUCTION LINE 包边包角辊压设备

For some valley flashing shape with short length or other section shape with dense holes, the roll forming lines with servo feed in and punching press are more and more popular to increase the productivity effectively and save the labor cost.

对于一些长短不一，并有密集冲孔的包边包角产品，连续式的辊压生产设备带专业冲床（伺服电机精准送料、高速冲孔、快速成型、不停机剪切）能极大的提高生产速度和节省人工成本。

V4″ high speed production line with press
V4″ 冲床生产线







V24″ roll forming line
V24″ 冷轧成型辊压设备





V30 roll forming line with press
V30 冷轧成型辊压设备带冲床





DECORATIVE PANEL LINE 装饰扣板辊压设备

Metal ceiling panel machine integrates de-coiler- forming- post cut with PLC control system, suitable for automatic mass production. It can be customized as single-type or multi-type auto quick-exchange machine according to customer requirements.

吊顶板设备是用于生产金属吊顶板的专用冷弯成型设备，集开卷、成型、切断于一体，采用 PLC 自动控制，适用于板材的自动化生产。可根据客户需求定制单一型号或者多型号全自动快换设备。

YX14.5-120 roll former
装饰扣板冷轧辊压成型设备



YX10-370.5 strip ceiling panel roll former
装饰扣板冷轧辊压成型设备



DOOR FRAME PANEL LINE门框机辊压设备

Door frame machines can be designed single frame type and combined type (left + right + top: 3 in 1).
The combined type machine forming process is: de-coiler-leveling-notch/punch-roll forming-flying cut. It is controlled by PLC system which supports products recipes quick choose. No secondary assembly is required, featuring high forming efficiency.

门框机设备可以按照需求定制单机型和组合式门框机（左框+右框 +上框一体）。
组合式门框机成型工艺：放料+校平+冲孔+成型+剪切断，PLC控制:产品配方快速选择生产。产品无需二次拼接，成型效率高。

Door frame panel roll former
门框机冷轧辊压成型设备



Detailed Parts:
部件细节照片：



PURLINS ROLL FORMING LINE 高速檩条辊压设备

Auto exchange & flying cut purlin machine with stacker enables fast and precise automatic size change, continuous production, and non-stop cutting. The stacker stacks the formed purlin products quickly and accurately, enhance production efficiency significantly, reduce labor costs, and achieve true high-efficiency intelligent automation.

自动换型&追剪&带码垛檩条机能够快速的实现精准自动换型、连续生产、不停机剪切，并且码垛机将成型后的檩条快速、精准地堆叠码放，大幅提升生产效率，降低人工成本，实现真正的高效智能的自动化。

35mpm speed roll former with gear box & flying cut
35mpm 冷轧辊压成型设备（追剪+减速箱）



Purlin Stacker
各类檩条设备通用码垛机





PURLINS ROLL FORMING LINE 檩条辊压设备

Heavy gauge purlins are necessary for the modern steel industrial buildings and some residential building as well. Different shapes and sizes of interchangeable C/Z/U steel purlins, auto Sigma, auto Omega panel machine can be quick changed automatically by PLC control and without replacing any rolling tools to make work more efficient.

C/Z/U型钢等重型檩条是现代工业建筑和一些住宅建筑所必需的。
C/Z/U互换成型机、自动Sigma成型机、自动Omega成型机机可在PLC面板上设置并通过编码器准确计量架体移动距离并且无需更换任何轧制工具实现精准自动换型。

C/Z auto exchange purlin machine(Stop to cut/Flying cut+Stacker)
C/Z自动换型冷轧成型辊压设备（停机/追剪+垛料机）



DESCRIPTION	SIZE FOR C	SIZE FOR Z
Webs(B)	80-300mm	100-300mm
Flange(B)	40-90mm	40-90mm
Lip(C)	15-20mm	15-20mm
Punching(h)	40-120mm	40-120mm
Thickness	1.5-3.0mm	1.5-3.0mm

L50*4mm roll former
L50*4mm角钢冷轧成型辊压设备

20-50mm height adjustable roll former
几字形冷轧成型辊压设备（20-50mm腰高可变）

SHUTTER DOOR PANEL SYSTEM LINE 澳式卷门辊压设备

An Australian roller shutter door machinery includes 5 machines: roller shutter door panel roll forming machine, holes punching machine, seaming machine, air nipper machine, rolling machine to make complete roller shutter doors. Rolling shutter door track or guide rails roll forming machines are always required for the manufacturing of guide rails for rolling shutter doors to raise up and lower down from galvanized steel strips of 0.8-1.6mm thickness.

新锴航机械能生产一套完整的澳式卷门系统所需的所有机器：如澳式卷门主机、澳式卷门分条&小边成型机、冲孔机、气动缝边机和打包机等。镀锌们导轨条还需要用到门导轨成型机，板厚一般用到0.8-1.6mm.

Australian type shutter door panel roll former
澳式卷门冷轧辊压成型设备



Slitting & edge forming machine for shutter door panel
澳式卷门分条&小边成型机



Seaming & Packing machine
卷门锁缝机&打包机

Door guide panel roll former
导轨冷轧辊压成型设备



SHUTTER DOOR SLAT PANEL LINE 卷帘门片辊压设备

The shutter door slats can be made out of galvanized steel strips, pre-painted steel strips. This roll forming machine is technically capable to produce roller shutter slats with any length available and effective width customizable from metal with thickness 0.6-1.2mm, sometimes up to 2mm.

经典的卷帘门系统一般由卷帘门片、卷帘门底板、门导轨等组成。可根据不同的用途定长剪切制作任意长度的镀锌板或彩板卷帘门系统。板厚范围0.6mm-1.2mm,也能根据需求做到2.0mm。

Shutter door guide rail & shutter door slat roll former
卷帘门导轨&卷帘门片辊压成型设备



Shutter door bottom slat roll former
卷帘门底板辊压成型设备









Shutter door bottom slat roll former
卷帘门底板辊压成型设备





Shutter door guide rail roll former
卷帘门导轨辊压成型设备



DUAL LAYER LINE 双层辊压设备

A double layer roll forming machine is designed to produce any two different kinds of metal sheets which can be: one trapezoidal roofing and one roof/wall cladding sheet; or one trapezoidal roofing sheet and one corrugated roofing sheet; one trapezoidal sheet and one metal roof tile;or one corrugated sheet and one metal glazed roof tile, etc.

宽幅版的双层机辊压设备主要是将相似板型/进料接近的板型设计在一个机台上，如屋面/墙面、屋面/波浪板、屋面板/琉璃瓦、波浪板/琉璃瓦等自由组合，能够节省成本和空间；新锴航机械也能根据客户要求定制三层辊压机。







TWIN ROWS ROLL FORMING LINE 双侧辊压设备

A twin rows roll forming machine has been invented to produce two lightweight or light gauge roll formed steel products with different specifications like two stud tracks, two hat purlins, two roof furring channels or other different combinations on the same machine with no need to change any rolling tools and extra cutting dies and in this way people can save more costs and places compared to the investment on two lines.

双侧辊压成型设备能把2/3种不同型号的轻钢龙骨、导轨等设计在一个机台上，共用放料机、主电机、液压站、控制柜等节省采购成本和占地。



UPRIGHT SHELF/L PANEL LINE 侧梁/立柱板辊压设备

The most common use of metal shelf is in warehouse, supermarket, etc. The advantage is heavy capacity, strong, durable, competitive price; it is with high standardization and arbitrary adjustment, convenient for disassembly and transportation.The upright panel is part of shelf system<upright/box beam/box panel/ connecting bracket>.
NKH can design/produce different upright section as per request.

相比传统的侧梁板/L立柱板辊压设备工艺，新锴航机械目前采用放料机带较平、伺服自动送料、专业冲床、主机和追剪的工艺能极大地提高生产速度、提高冲孔精度，实现投资回报最大化。

Upright shelf panel roll forming line
侧梁板辊压生产线



L shelf panel roll forming line
L立柱板辊压生产线



BOX PANEL/BOX BEAM PANEL LINE 面板/横梁板辊压设备

Box panel is an integral part of the shelf panel system, it has many shape section design. NKH can design box panel roll former with width step-less adjustable and different length as per customer requirement.

无级可调面板设备可生产不同宽度，不同长度的产品，满足客户多样化需求。

Box shelf panel roll former
货架面板辊压成型设备



The C shape is to be formed by roll former and two pieces joint together to be box beam by another small cross beam joint machine. Multi-sizes C shape section can be designed in one machine by manual or auto exchange.

横梁板设备由主机、扣合机组成；板材成型后,再把2片产品扣合送入扣合机咬合。

Box Beam shelf panel roll former
横梁板辊压成型设备

HEAVY GAUGE CORRUGATED LINE 仓储板辊压设备

Warehouse storage buildings include storage body, stand and top cover as three main components. The heavy gauge corrugated roll forming machine is an important component of the storage body.
The working process is: de-coiler-auto feed in-hydraulic pre-shearing-roll forming-post punching & post cutting -online smooth curving to achieve high-precision & rapid forming to provide efficient production efficiency.

钢板仓主要包括仓筒、立柱和仓顶3部分。厚板波浪板成型机设备是仓筒仓壁板的重要组成部分。
工艺是放料-自动喂料-前剪-成型-后冲后剪-在线弯弧实现高精度和快速成型，提供高效的生产效率。

Heavy gauge corrugated panel roll forming line
厚板波浪板辊压生产线





ON LINE LASER WELD TUBE LINE 在线激光焊辊压设备

Laser welding machines have the advantages of fast speed, large depth, and small deformation. When it used in conjunction with roll forming lines, laser welding machines provide higher production efficiency, lower costs, and higher quality products for the manufacturing industry. By combining forming technology with precise positioning, optimization can be achieved in complex manufacturing processes to meet diverse production needs.

激光焊机具有速度快、深度大、变形小的优点，激光焊机同成型机组配合使用为制造业提供了更高的生产效率、更低的成本以及更高质量的产品。通过成型工艺和精准定位结合，可以实现制造流程优化，满足多样化的生产需求。

On line tube panel roll forming line with non-stop cutting
在线激光焊接辊压成型设备-不停机剪切







AUTO CRIMPING CURVED MACHINE 打弯机/辊弯机系列

A hydraulic curving machine is necessary to produce crimping curved panels or no-crimp curved corrugated sheets mainly applied as roofing of warehouses, military camps, storages, parking sheds and so on.Crimping curved roof panels have higher strength compared to straight roof sheets and minimize the structural steel costs by offering higher purlin spacing and options as walls.

成型的金属板可通过液压动力打弯/辊弯带齿或光滑弯弧产品。可根据具体需求定制正弧/反弧或者正反弧模具。与平直的屋顶板相比，打弯屋顶板具有更高的强度，并通过提供更大的檩条间距和墙壁选项来最小化结构钢成本。

Hydraulic auto crimping curved machine for roofing panel
自动压皱式液压打弯机



Tooth crimping curved machine for roofing panel
带齿辊弯机

Tapered smooth/tooth & convex/concave curving machine
大小头光滑/带齿正反弧辊弯机

Smooth curving machine for corrugated panel
波浪板光滑辊弯机

CNC HYDRAULIC FOLDING MACHINE 数控折弯机

People always support for hydraulic bending machine < heavy gauge also named hydraulic press brake machine> when they have needs for producing a few pieces of simple bending products, like small hat channels, a ridge cap, C/Z/U channels etc. It is working under hydraulic power driving but controlled manually, mostly by foot control.

智能化数控长板分条折弯机能通过将片板折弯成不同的形状来适应不同的包边包角形状的需求。可根据客户产品不同长度的需求定制4米、6米或者8米折弯机。可通过面板依次输入折弯角度，长度等实现自动送料。

Hydraulic & CNC folding machine-4M
智能化数控长板分条折弯机



Hydraulic & CNC folding machine-6M
智能化数控长板分条折弯机



Hydraulic Press Brake Machine
液压板料折弯机

Hydraulic & CNC folding machine-8M
智能化数控长板分条折弯机

SLITTING/CUT TO LENGTH LINE 分条线、定长剪板线

A metal slitting machine line has been designed to cut longitudinally the wide steel coils into different narrow steel strips for producing continuously cold formed sectional steel products, like light gauge steel frames, C/Z steel purlins and highway guard rails, etc.
A cut to length line cuts metal sheets or coils transversally into required quantities of metal sheets with requested fixed lengths. There is no re-coiler needed but a stacker is always placed in the end of the line.

较平分条&收料线主要通过将卷料纵剪成窄条，然后通过收料机卷成所需宽度的卷料来生产轻钢龙骨，C/Z型钢等。
较平分条/剪板线主要通过将卷料经分条/不分条后定长横剪成包边包角所需宽度/长度的片板。

Slitting & Re-coiling line
经济型分条收料线

Cut to length & Auto stacking line
较平分条定长剪板&自动垛料线

SANDWICH PANEL ROLL FORMER 发泡板辊压设备

EPS/rockwool roofings and walls, decorative metal wall, PU rolling shutter slats roll formers as part and work with an insulated sandwich panel production line is able to make insulated panels or sandwich panels which have been widely applied as roofing, wall panels, decoration exterior or interior wall panels, garage door panels and rolling shutter slats, etc.

新锴航机械能根据客户需求定制发泡板面板/底板、装饰扣板、卷闸门板等不同的辊压设备，同客户现有的发泡生产线配合使用。













CUSTOMIZED ROLL FORMING MACHINES 非标定制设备

NKH is specialized in supplying customized roll forming machines for a variety of applications, like a cassette type forming machine has been made to make multi-profiles through the change of different cassettes; width adjustable roll forming machines have been designed for producing metal wall panels of different widths; multi-cylinders hydraulic punching machine works with PC computer to quickly adjust punching dies and parameters.

新锴航机械供应各类定制设备：如卡盘，能实现不同的卡盘快速吊装；无级可调设备，能通过架体宽度调整生产不同宽度的金属板产品；多缸冲孔同上位机配合使用，可快速调整冲孔模具和参数，优化冲孔路径，改善数据管理。

Width step-less adjustable roll former

无极可调冷轧辊压成型设备



Cassette type roll former

卡盘快换冷轧辊压成型设备

Multi-cylinders hydraulic punching machine

多缸液压冲孔机（上位机）

ROLL FORMING LINE WITH CERTIFICATE 辊压设备带CE

Roll forming line with CE/CSA/COC/SONCAP certificate required in many countries in nowadays. Normally, the full mesh around un-coiler and the roll forming machine and cutting device is required as the CE request, the interlock and safe relay is also included.The certificate can be certificated by professional third party such as SGS, TUV, etc.

现在，很多国家/地区都要求设备满足相关 CE/CSA/COC/SONCAP 标准。如根据CE的要求，机械需有安全围栏、安全防护罩等，电气要求安全互锁、安全模块，互锁控制等。可通过专业第三方如SGS,TUV等实现认证。

CERTIFICATE

of Conformity

EC Council Directive 2006/42EC

Machinery

Registration No.: AM 50378655 0001

Report No.: 5008737/B 001

Holder: Xiamen New KaiHang Machinery Co., Ltd. Jiang Kai Jun Bei Da Dao, Jimei District P.R. China

Product: Forming Machine (Roll Forming Line)

Identification: Type Designation : NKH-W-04

Serial No. : W-NKH-01

Remark: Refer to test report 5008737/B 001 for details.

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. This is to certify that the basic safety & protection health requirements of the Council Directive 2006/42EC, referred to as the Machinery Directive. The certificate does not imply manufacturer's production quality assurance system and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is entitled to use the certificate in connection with the EC Declaration of Conformity according to Annex II of the Directive.

Certification Body

Date: 20.12.2006

TÜV Rheinland LGA Products GmbH · Tillystraße 2 · 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives are complied with.



DE-COILER SERIES 开卷机系列

1.5T×300mm manual de-coiler
1.5T×300mm 无动力简易放料架



1.5T×300mm hydraulic de-coiler with rails
1.5T×300mm 液压放料架带导轨

1.5T×300mm driven de-coiler with straightening
1.5T×300mm 带动力&校直放料架



1.5T×300mm twins & manual de-coiler
1.5T×300mm 双头无动力简易放料架

3T×600mm hydraulic driven de-coiler
3T×600mm 液压动力放料架

3T×600mm twins & driven de-coiler
3T×600mm 双头带动力放料架

1.5T×300mm twins & driven de-coiler
1.5T×300mm 双头带动力放料架

5T×600mm hydraulic & driven de-coiler
5T×600mm 液压&动力放料架

5T×600mm twins & driven de-coiler
5T×600mm 双头动力放料架

DE-COILER SERIES 开卷机系列

5T×1250mm hydraulic & driven de-coiler
5T×1250mm 液压动力开卷机

6-8T×1250mm hydraulic & driven de-coiler with coil car
6-8T×1250mm 液压动力开卷机带小车

6T×1250mm twins de-coiler with coil car
6T×1250mm 双头&动力开卷机带小车

2T×1250mm twin de-coiler tower +coil selector
2T×1250mm 双头放料机

10T×1250mm hydraulic & driven de-coiler with coil car
10T×1250mm 液压动力开卷机带压紧臂带小车



12T×1500mm hydraulic & driven de-coiler with coil car
12T×1500mm 液压动力开卷机带小车

SAMPLES 样品



SAMPLES 样品